

PTO/SB/08A (05-03)

Approved for use through 04/30/2003. OMB 0651-0031  
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE  
Collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO

*(use as many sheets as necessary)*

Sheet 1 of 4

*Complete if Known*

Application Number	
Filing Date	
First Named Inventor	TOWNSEND, et al.
Art Unit	
Examiner Name	
Attorney Docket Number	25339.02

[illegible][illegible]

Date	
Considered	

Under WFO Standard S1.16 it is possible. 6 Applicant is to place a check mark here if English language translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449B/PTO  <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  <i>(use as many sheets as necessary)</i>			Complete if Known		
			Application Number		
			Filing Date		
			First Named Inventor	TOWNSEND, et al.	
			Art Unit		
			Examiner Name		
Sheet	2	of	4	Attorney Docket Number	25339.02

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No.†	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
		A.C. EVANS, et al., "MRI-PET Correlation in Three Dimensions Using a Volume-of-Interest (VOI) Atlas," Journal of Cerebral Blood Flow & Metabolism, A69-A78, 1991.	
		D.G. THOMAS et al., "Use of relocatable stereotactic frame to integrate positron emission tomography and computed tomography images: application to human malignant brain tumors," Stereotactic and Functional Neurosurgery, 388-392, 1990.	
		C.A. PELIZZARI et al., "Accurate three-dimensional registration of CT, PET and MR images of the brain," J Comp Assist Tomogr, 2026, 1989.	
		R.P. WOODS et al., "Rapid automated algorithm for aligning and reslicing PET images," J Comp Assist Tomogr, 620-633, 1992.	
		R.P. WOODS et al., "MRI-PET registration with an automated algorithm," J Comp Assist Tomogr, 536-546, 1993.	
		U. PEITRZYK et al., "Three-dimensional alignment of functional and morphological tomograms," J Comp Assist Tomogr, 51-59, 1990.	
		R. L. WAHL et al., "'Anatometabolic' tumor imaging: fusion of FDG PET with CT or MRI to localize foci of increased activity," J. Nucl. Med., 1190-1197, 1993.	
		T.F. LANG et al., "A prototype emission-transmission imaging system," IEEE Nucl. Sci. Symposium Conf. Record, 1902-1906, 1991.	
		T.F. LANG et al., "Description of a prototype emission-transmission computed tomography imaging system," J. Nucl. Med., 1881-1887, 1992.	
		J.S. FLEMING, "A technique for using CT images in attenuation correction and quantification in SPECT," Nucl. Med. Commun, 83-97, 1989.	
		S.C. MOORE, "Attenuation compensation" in Ell, P.J. et al., Computed Emission Tomography, London, Oxford University Press, 339-360, 1982.	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2

Substitute for form 1449/PTO		Complete if Known			
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)		Application Number			
		Filing Date			
		First Named Inventor	TOWNSEND et al.		
		Art Unit			
		Examiner Name			
Sheet	3	of	4	Attorney Docket Number	25339.02

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		B.H. HASEGAWA et al., "Object specific attenuation correction of SPECT with correlated dual-energy X-ray CT," IEEE Trans. Nucl. Sci., 1242-1252, 1993.	
		K.J. LaCROIX et al., "Investigation of the use of X-ray CT images for attenuation compensation in SPECT," IEEE 1993 Medical Imaging Conference Record, 1994.	
		S.C. HUANG et al., "Quantitation in positron emission tomography: 2. Effects of inaccurate attenuation correction," J. Comput Assist Tomogr., 804-814, 1979.	
		W.F. JONES et al., "Optimizing rod window width in positron emission tomography," IEEE 1992 Medical Imaging Conference Record, 982-984, 1993.	
		R.A. de KAMP et al., "Attenuation correction in PET using single photon transmission measurement," Med. Phys., 771-778, 1994.	
		QU HE et al., "Attenuation correction in PET using a singles transmission source," J. Nucl Med., 41P, 1994.	
		R.E. ALVAREZ et al., "Energy-selective reconstructions in X-ray computerized tomography," Phys Med Biol., 733-744, 1976.	
		D.E. AVRIN et al., "Clinical applications of Compton and photo-electric reconstruction in computed tomography: preliminary results," Invest Radiol, 217-222, 1978.	
		M. BERGSTROM et al., "Correction for scattered radiation in a ring detector positron camera by integral transform of the projections," J. Comput. Assist. Tomogr., 42-50, 1983.	
		M. ENDO et al., "Software correction of scatter coincidence in positron CT," Eur. J. Nucl. Med., 391-396, 1984.	
		S.R. CHERRY et al., "Correction and characterization of scattered events in three dimensional PET using scanner with retractable septa," J Nucl Med, 671-678, 1993.	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

<b>Substitute for form 1449/PTO</b>  <b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (use as many sheets as necessary)		<b>Complete if Known</b>	
		Application Number	
		Filing Date	
		First Named Inventor	TOWNSEND et al.
		Art Unit	
Examiner Name		Attorney Docket Number	25339.02
Sheet	4	of	4

<b>NON PATENT LITERATURE DOCUMENTS</b>			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		D.L. BAILEY et al., "A convolution-subtraction scatter correction method for 3D PET," Phys Med Biol., 412-424, 1994.	
		D. GAGNON et al., "Introduction to holospectral imaging in nuclear medicine for scatter subtraction," IEEE Trans Med Imaging, 245-250, 1989.	
		S. GROOTOONK et al., "Correction for scatter using a dual energy window technique with a tomograph operating without septa," IEEE 1991 Medical Imaging Conference Record, 1569-1573, 1992.	
		B. BENDRIEM, et al., "A PET scatter correction using simultaneous acquisitions with low and high lower energy thresholds," IDDD 1993 Medical Imaging Conference Record, 1779-1783, 1994.	
		J.M. OLLINGER, "Model-based scatter correction for fully 3D PET," Phys Med Biol., 153-176, 1996.	
		C.C. WATSON, D. NEWPORT, and M.E. CASEY, "A single scatter simulation technique for scatter correction in 3D PET" in: Grangeat P and J-L Amans, Three Dimensional Image Reconstruction in Radiology and Nuclear Medicine, Dordrecht: Kluwer Academic, 255-268, 1996.	
		R. LEAHY et al., "Incorporation of anatomical MR data for improved functional imaging with PET," Information Processing in Medical Imaging, XIIth IPMI International Conference Record, 1201-1203, 1993.	
		Z. ZHOU et al., "A comparative study of the effects of using anatomical priors in PET reconstruction," IEEE 1993 Medical Imaging Conference Record, 1749-1753, 1994.	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 120 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.